

TOWN OF MINTO
5941 Highway #89
Harriston, ON NOG 1Z0
Telephone 519-338-2511 Fax 519-338-2005

REQUEST FOR QUOTATION # 2015 - 10
COMPACT TRACTOR SPECIFICATION FOR PRICING

UNIT REQUIRED

Public Works/Recreation Compact Tractor with attachments. Tractor shall be no wider than (54”), including fenders and no higher than (85”) to top of roof.

SUBMISSION OF QUOTATION

Two copies of the RFQ shall be submitted in a sealed envelope clearly marked with the RFQ number and title (enclosed):

RFQ # 2015 - 10
COMPACT TRACTOR SPECIFICATION FOR PRICING

Sealed Quotations, plainly marked as to contents, addressed to:

Brian Hansen
Public Works Director
Town of Minto 5941 Highway #89
Harriston, ON NOG 1Z0

Closing Date: Tuesday April 15, 2015
Closing Time: 2:00 p.m. (Eastern Standard Time)

NOTE: Any or all quotations not necessarily accepted. Town of Minto reserves the right to reject any or all quotations without stating a reason.

SPECIFICATIONS

The vehicle shall be the manufacturer’s standard production model as shown in the manufacturer’s literature and all component units shall be standard or be a standard catalogue listed unless otherwise specifies and agreed.

The vehicle offered in the quotation should meet the following Town of Minto minimum specifications. Please indicate in each space provided the actual specification of the unit.

The vehicle shall meet or surpass the mandatory requirements of the “Canadian Motor Vehicle Safety Regulations (S.O.R. 70-487) amended”.

While the purpose of the specifications is to indicate certain minimum requirements in the way of capacity, strength, and other details, the Town of Minto at its sole discretion shall have the right to select the equipment which may be considered most

suitable for the service involved. In other words, even though proposals are received based on furnishing equipment which may meet the minimum requirements indicated, it is not intended that this alone shall limit the contract award to be recommended but that the other factors shall be considered together with any experience the Town of Minto may have with equipment of the same type or manufacture.

The specifications included herein describe the type, size, design, and construction of the equipment which is felt necessary to meet the performance and service requirements of the Town of Minto. Bidders quoting on equipment which deviates from the standpoint of capacity, size, construction and performance, both as to the individual component parts and the completely assembled units, are requested to submit alternate bids on the equipment which so deviates. Any and all alternate bids which are submitted will be given due consideration in accordance with the Town's standard quotation practices.

Delivery date could have a direct bearing on the acceptance of the quotation.

All quotations must be accompanied by complete specifications and illustrations of the vehicle quoted on.

The Town of Minto reserves the right to accept or reject any or all quotations in whole or in part for any reason or concern without any claim whatsoever because of cancellation. The Town of Minto reserves the right to accept or reject any of the options listed as they see fit. Selection of the successful quotation shall be subject to approval by the Council of the Town of Minto.

Payment made in full at the time of delivery, once full inspection and acceptance has been completed by the Town of Minto's Public Works Director and/or staff equivalency.

All quotations made must be honoured for 180 days after the closing date.

Penalty for late deliveries (\$500 per week as per 7 days)

VEHICLE WEIGHT

a	G.V.W. –	Maximum 2600 IBS	SPECIFY	lb	
b	The allowable G.V.W. as supplied shall be shown on a metal tag			YES	NO
c	Chassis Weight –		SPECIFY	lb	

ENGINE

MAKE		MODEL			
	Number of cylinders	SPECIFY			
	Gross H.P. Minimum 30HP @ 2500 RPM	SPECIFY:	HP @	RPM	
	Net H.P.	SPECIFY:	HP @	RPM	
	Gross Torque Minimum 70lbf-ft	SPECIFY	lb./ft./@	RPM	
	Net Torque	SPECIFY	lb./ft. @	RPM	
	Engine Weight	SPECIFY			lb
	Displacement –	SPECIFY			litres
	Extend life Anti-freeze - 40°C	YES	NO		

TRANSMISSION

	Transmission type	YES	NO		
	Transmission min torque _____	SPECIFY			
	Transmission Auxiliary cooler	YES	NO		
	Synthetic Oil Required in Transmission	YES	NO		
	Transmission temperature gauge	YES	NO		

PTO / HYRAULIC SYSTEMS

	PTO drives system to be mechanical by way of a clutch	YES	NO	
	Must be electric over hydraulic actuation with indicator light.	YES	NO	
	The engagement speed of the PTO clutch shall be controlled electronically by the tractor ECU	YES	NO	
	The front PTO is to be 1-3/8 inch diameter,6 spline. 540 PTO rpm @ 2160 engine rpm.	YES	NO	
	hydraulic couplers (3 pair) are to be supplied for operating the control features on various attachments	YES	NO	

	Rear of tractor shall have 1 pair of hydraulic couplers with an output	YES	NO	
	Hydraulic couplers must be colour coded, matching joystick colour Coded membrane switches.	YES	NO	
	All hydraulic hoses must be wrapped in critical areas.	YES	NO	
	Unit shall be equipped with a Low Hydraulic Oil warning	YES	NO	

CAB/CHASSIS

	Interior sun visors - Dual adjustable with aux. fold down side visor on driver side	YES	NO	
	Fuel Gauge shall be supplied	YES	NO	
	Voltmeter shall be supplied	YES	NO	
	Water temperature gauge shall be supplied	YES	NO	
	Oil pressure gauge shall be supplied complete with an automatic low oil pressure engine light & alarm.	YES	NO	
	Tachometer shall be supplied	YES	NO	
	Air filter restriction gauge shall be mounted in the dash	YES	NO	
	Engine hour meter	YES	NO	
	Cruise control	YES	NO	
	AM/FM/CD radio with digital clock	YES	NO	
	Temperature indicator	YES	NO	
	Standard lighting package	YES	NO	
	Standard factory tinted windows	YES	NO	
	Wiring for two way radio shall be provided	YES	NO	
	lights are to be halogen adjustable and identical	YES	NO	
	Supply and install one automatic greasing system (Groeneveld Automatic Greasing System)	YES	NO	
	All attachments must be piped and ready accept an automatic greasing hook up(s)	YES	NO	
	Hi / low range shifter gate	YES	NO	
	4 wheel drive	YES	NO	
	Front and rear hitch	YES	NO	
	Joystick control	YES	NO	

OPTIONS

SALT AND SAND SPREADER

	(44") rear mounted salt and sand spreader complete with on/off control in cab	YES	NO	
	The sander shall have a self-contained stand when disconnected.	YES	NO	
	Spread shall be controlled by a manual adjustment lever	YES	NO	
	The hopper shall be made of heavy gauge steel with a minimum capacity of .3825 cubic meters (1/2 cubic yard).	YES	NO	
	Unit must be piped to accepted the auto greasing system installed as in section 16 of this document	YES	NO	
	Install a Slow moving sign	YES	NO	

Price: \$ _____

SNOW BLOWER

	P.T.O. driven front mounted snow blower attachment.	YES	NO	
	Raise/lowering, chute rotation, and chute deflector shall be hydraulically controlled from inside cab.	YES	NO	
	The blower will have a sidewalk chute with hydraulically controlled spout.	YES	NO	

Price: \$ _____

PLOW

	The plow shall be capable of operating angled left, angled right, straight.	YES	NO	
	The overall length of the plow shall be _____	YES	NO	
	The height shall be 26". _____	YES	NO	
	The plow push-frame shall have an adjustable height stand to ease installation of plow to tractor.	YES	NO	
	Unit must be piped to accepted the auto greasing system installed as in section 16 of this document	YES	NO	
	The plow shall be fitted with thick hardened steel cutting edge	YES	NO	

Price: \$ _____

SWEEPER

	The overall length of the sweeper shall be _____	YES		NO	
	The height shall be _____	YES		NO	
	The sub frame must be quick attach	YES		NO	
	Unit must be piped to accepted the auto greasing system installed as in section 16 of this document	YES		NO	

Price: \$ _____

FRONT BUCKET

	Shall be quick attach	YES		NO	
	Supply Bucket	YES		NO	
	Supply pellet forks	YES		NO	

Price: \$ _____

Complete manufacturer's literature and specifications shall accompany each quotation.
These specification sheets shall be completed and returned with the quotation form.

WARRANTY AND SERVICE LITERATURE

	Signed Manufacturers factory warranty shall be supplied	YES		NO	
	Parts and Service manuals shall be supplied including Shop Manual for Engine in both CD and hardcopy upon delivery	YES		NO	

TOWN OF MINTO
REQUEST FOR QUOTATION

Public Works/Recreation Compact Tractor with attachments Tractor shall be no wider than (54") including fenders and no higher than (85") to top of roof.

We hereby propose and agree to supply the unit for the following quote price:

QUOTE Price: (Not including options) _____		\$
Trade in Value	2004 F3560 - 2217hr - w/cab 2005 F3560 - 1590hr - w/cab B2763 - 60" snow blades X 2 F5220 - 50" snow blowers X 2 L2062C - Sweepers X 2 RCK60 - F30 (Not sure if this is the actual model) mower decks 54" X 2 1 tow behind Epoch sander 1 rear mount sander	\$
DELIVERY DATE		
Subtotal		\$
HST		\$
Total		\$

DATED AT _____ **this** _____ **day of** _____ **2015.**

Witness to Bidder's Signature

Signature of Bidder

or

S E A L Bidder (Please Print)

Full Address

Telephone Number